



ISV-E40
VIDEOSCOPE(BASIC TYPE)
OPERATION MANUAL



functions

- ◆ The unique winding method is convenient for users to operate.
- ◆ 5-inch LCD screen allows users to see more clearly.
- ◆ High-quality CMOS sensor resolution is 1280*720 pixels.
- ◆ Video snapshot and recording help users not miss anything.
- ◆ Third gear LED light brightness adjustment.
- ◆ Waterproof grade of camera hose is Ip67.
- ◆ 4000mAh lithium battery is super durable.
- ◆ Support seven languages: English, Japanese, Chinese, German, French ,Spanish, Italian.

Structure



Installation and Use

- 1.The product uses lithium battery for power supply, charging and reading files in TF card through USB port.
 - ◆ When there is a TF card in the machine, you can connect the computer through the USB port to view the photos and video files in the TF card.
 - ◆ When the battery is low, it can be charged by connecting the charging kit through the USB interface.
2. Accessories installation:
Before installing the accessories,unscrew the sleeve on the camera housing and install the accessories to the camera as required. Please note that the hook, magnet and mirror accessories cannot be installed at the same time (as shown below).



- 3.Real-time page,short-press to enter the menu page, long press to turn off the machine.



4. In a live page, short press to take a photo, long press to record.

- ◆ When playing a video, short press to fast forward to play 2.0X, 4.0X, 8.0X.
- ◆ Playback pages and menu pages, short press up to select.
- ◆ When inserting a TF card larger than 32G, you can take pictures and record videos normally after performing formatting according to the device prompts.



5. In a live page, short press to cycle to zoom in 1.5X, 2.0X, 3.0X, 4.0X, and long press to enter black and white mode.



6. In a live page, short press the LED light can be adjusted to 1st, 2nd, 3rd gear.

- ◆ When playing a video, short press to return to play 2.0X, 4.0X, 8.0X.
- ◆ Playback page and menu page, short press down to select.



7. In a live page, short press to enter/exit playback interface.

- ◆ In the playback page, long press to delete a single file.
- ◆ When playing/pausing the video, short press to return to the initial state of the video.



8. In a live page, short press the screen brightness can be adjusted to 1st, 2nd, 3rd gear, and long press mirror to Rotate picture.

- ◆ In the video playback page, short press to play/pause the recording.
- ◆ In the menu settings page, short press to confirm the option.



Attentions

1. Pay attention to protection of the camera lens, which shall not be folded by force and shall not be broken off.
2. The camera tube is waterproof while the receiver is not. Please protect it from water and moisture.

SPECIFICATION

Lens	diameter(D)	8mm
	pixel	0.92M
	resolution	1280x720
	depth of field	30~80mm
	angle of view	77°
	illumination	3 levels
	dust/waterproof	IP67
Cable	length	1180mm
	type	memory (can be set at any shape)
Main unit	display	5" IPS LCD
	function	take picture, take video
	file format	picture: JPG, video: MOV
	image process	image zoom(1.5X, 2X, 3X, 4X)
	memory	memory card(optional)
	output	Type-C
	power supply	rechargeable lithium battery (for 5 hours working)
dimension	217×155×131mm	
Weight	506g	